

SCALA RIDER[®] **Q2**



INTRODUCTION

Congratulations, and thank you for having chosen the **scala-rider Q2 Bluetooth®** Headset for bikers. This Manual will help you operate the headset, but you should first familiarize yourself with the *Bluetooth* functionality of your cellular phone and/or GPS device before using the **scala-rider Q2**.

The retail box of the **scala-rider Q2** contains one headset unit. When paired with another **scala-rider Q2**, the headsets can be used as an Intercom at a range of up to 1,640 ft (500m).

The **scala-rider Q2** offers the following uses:

1. **Bluetooth headset for mobile phone communication**, supporting headset* and Handsfree* profiles (10m range)
2. **Bike-to-Bike Intercom Communication** with another Q2 unit (up to 1,640 ft. / 500 m range) in Full Duplex** mode [purchased separately]
3. **Turn-by-Turn GPS Navigation instructions** and Streaming Audio from compatible *Bluetooth* devices
4. **FM Radio** – built in FM radio receiver with six preset stations

The **scala-rider Q2** can establish an audio connection with one Bluetooth device at a time. Please read the section “Using the Headset” to see how you can switch the audio connection between the paired devices.

* Mobile phones that do not support the *Bluetooth Handsfree profile* may prevent you from using the Redial and Call Reject features

** Full duplex calls allow you to speak and hear the other party speak simultaneously

CONTENTS OF RETAIL BOX

Headset




CTRL – Control Button

- Power On, Power Off
- Answer/End







MC – Multi-Connection

- Radio On/Off/change stations
- Initiate/Terminate Buddy Intercom call with Primary or Secondary Buddy

Helmet Clamp



NOTE: The use of two speakers may be illegal in certain jurisdictions. Please check the local regulations and act accordingly.

Wall Charger	
Allen Wrench	
Velcro Pads	
Extension Pad	
Carry-Pouch	
Microphone Sponge	
User Guide, including Warranty and Registration form	

IMPORTANT:

The **scala-rider Q2** is a water-resistant device, designed for use under moderate rain or snow conditions. However, **the headset is not waterproof** and should not be used under severe weather conditions.


The cover tongue protecting the Charging Jack should be kept tightly closed at all times to prevent moisture from entering the device.

BEFORE USING (CHARGING THE HEADSET)

Make sure that the headset is fully charged for at least five hours before initial use.

1. Connect the wall charger to the headset's Charging Jack (located between the two Volume Buttons).
2. While charging, the Red Light turns on (it may take up to 15 seconds until the Red Light turns on). When charging is complete, the Red Light will turn off.

SET UP AND CONFIGURATION



STEP 1

SET UP FOR BIKE-TO-BIKE INTERCOM: PAIRING

The **scala-rider Q2** can be paired with up to two other headsets for Intercom communication, referred to in this guide as:

Primary Buddy

and

Secondary Buddy

Pairing is a one time process. Once the headsets are paired during this Setup Procedure, they will remain paired and automatically recognize each other whenever they are within range.

NOTE: The **scala-rider Q2** allows you to speak via Intercom to one Buddy headset at a time.

PRIMARY BUDDY PAIRING (requires two scala-rider Q2 headsets)

1. If either headset is turned OFF, turn it ON by pressing and holding the CTRL Button until the Blue Light flashes three times.
2. Make sure that both headsets are now flashing slowly in Blue.
3. Pick up one headset and simultaneously press and hold the CTRL Button and MC Button for at least six seconds until the Red Light begins flashing rapidly, indicating it is in Intercom Pairing mode.
4. Repeat Step 3 again for the second **scala-rider Q2** headset. Both headsets should now be flashing rapidly in Red.
5. Within a few seconds, both headsets will show a solid Red light for two seconds, and then begin flashing slowly in Blue.

SECONDARY BUDDY PAIRING (requires three scala-rider Q2 headsets)

Once you have paired the Main **scala-rider Q2** to the Primary Buddy headset, repeat the procedure above to pair the Main **scala-rider Q2** to the Secondary Buddy headset.

NOTE: The Main **scala-rider Q2** is able to communicate with either the Primary Buddy or the Secondary Buddy. The Primary Buddy and Secondary Buddy **are not** able to communicate directly via Intercom.

NOTE: If the Pairing process is not completed within one minute the headset will return to Standby mode.

STEP 2 (Optional)

SET UP FOR RIDER-TO-PASSENGER INTERCOM: PAIRING

There are two ways that the **scala-rider Q2** can be used for Rider-to-Passenger communication.

A. Both Rider and Passenger are using **scala-rider Q2** headsets.

*To Pair the two headsets, follow the Steps listed in the section above titled **PRIMARY BUDDY PAIRING**.*

B. The Rider is using a **scala-rider Q2** and the Passenger is using a scala-rider headset (i.e. a scala-rider, a scala-rider FM or a scala-rider TeamSet Driver unit headset).

To Pair the two headsets:

1. Starting with the scala-rider headset turned OFF, press and hold the CTRL button until the Red/Blue lights begin rapidly alternating.
2. Starting with the **scala-rider Q2** turned ON, simultaneously press and hold the CTRL Button and MC Button for six seconds until the Red light begins flashing rapidly, indicating it is in Intercom Pairing mode.
3. Within a few seconds, the **scala-rider Q2** will show a solid Red light for two seconds, and then begin flashing slowly in Blue.

NOTE: If the Pairing process is not completed within one minute the headset will return to Standby mode.

NOTE: When using a scala-rider headset as a Passenger headset, Voice Connect Intercom can be initiated only by the **scala-rider Q2** headset. Manual Connect Intercom can be initiated from either headset.

RESET INTERCOM PAIRING

You can delete all of the headset's Intercom pairings at any time.

1. Place the **scala-rider Q2** into Intercom Pairing mode following the instructions in the PRIMARY BUDDY PAIRING section above.
2. Once the Red Light begins flashing rapidly, press and hold Volume up for three seconds.
3. The Red and Blue Lights will flash five times, confirming that the Reset Pairing was successful.

STEP 3

SET UP FOR MOBILE PHONE CALLS: PAIRING

If you have a *Bluetooth* enabled mobile phone and would like to make and receive phone calls using the **scala-rider Q2**, you must first pair your headset to the mobile phone.

NOTE: If you have a compatible *Bluetooth* GPS device you wish to use with the **scala-rider Q2**, please skip this step, and continue ahead to **STEP 4: SET UP FOR BLUETOOTH GPS DEVICE.**

Pairing is a one time process. Once the headset is paired to a specific mobile phone during this Setup Procedure, they will remain paired and automatically recognize each other whenever they are within range. If the connection between the phone and headset is lost, tap the CTRL button to reconnect the devices.

TO PAIR THE SCALA RIDER Q2 TO A *BLUETOOTH* MOBILE PHONE

1. Turn on your phone and make sure its *Bluetooth* function is activated.
2. With the **scala-rider Q2** headset turned ON, press and hold the CTRL Button for at least six seconds until the Red and Blue Lights begin rapidly alternating.
3. Search for *Bluetooth* devices on your phone by following the

phone's instructions. Please consult your phone's User Manual for more information.

4. After a few seconds the phone will list the **scala-rider Q2** as a discovered device. Select it and follow your phone's instructions to accept the pairing.
5. When prompted enter 0000 (four zeros) as your PIN or passkey.
6. Your phone will confirm that pairing has succeeded and the headset will begin flashing slowly in Blue.

NOTE: If the Pairing process is not completed within two minutes the headset will return to Standby mode.

With some mobile phones, you may need to tap the CTRL button to connect the headset to the phone after pairing is complete. The **scala-rider Q2** headset will automatically connect to the last phone connected to the headset.

STEP 4

SET UP FOR BLUETOOTH GPS DEVICE: PAIRING

If you have a *Bluetooth* enabled GPS device and would like to transmit navigation instructions and sounds from the GPS device through the headset's speakers, you must first pair your headset to the GPS device.

NOTE: Not all *Bluetooth* enabled GPS devices allow connections to *Bluetooth* headsets like the **scala-rider Q2**. Please consult your GPS device's User Manual for more information.

TO PAIR THE SCALA RIDER Q2 TO A *BLUETOOTH* GPS DEVICE:

1. Turn on your GPS device.
2. With the **scala-rider Q2** headset turned ON, press and hold the CTRL Button for at least six seconds until the Red and Blue Lights begin rapidly alternating.

3. Search for *Bluetooth* headsets on your GPS device by following the device's instructions. Please consult your GPS device's User Manual for more information.
4. If your GPS device prompts for a PIN or Passkey enter 0000 (four zeros).
5. Your GPS device will confirm that pairing has succeeded. The headset will begin flashing slowly in Blue.
6. If you wish to use a *Bluetooth* mobile phone to make and receive calls through the headset, you must now pair your mobile phone to your GPS device by following your GPS and/or mobile phone's instructions.


NOTE: If the Pairing process is not completed within two minutes the headset will return to Standby mode.

MOUNTING THE HEADSET ON THE HELMET


The microphone/speaker clamp must be mounted onto the helmet. Once mounted, the headset unit can be attached or detached from the microphone/speaker clamp at any time.

Attaching the Clamp to the Helmet

1. Use the enclosed Allen Wrench to loosen the two screws on the Back Plate.
2. Slide the Back Plate between the internal padding and the external shell of the helmet. (If the external shell is too thick, use the supplied plastic Extension Pad by loosening the screws and fitting the Extension Pad between the Back Plate and the main body of the clamp.)



3. Adjust the clamp's location so that the microphone is located in front of the center of your mouth, with the yellow sticker pointing towards your mouth, and then tighten the screws.



ATTACHING AND REMOVING THE HEADSET FROM THE HELMET CLAMP

ATTACHING:

Slide the headset downwards along the sliding panel until a clicking sound indicates that the headset is locked in place.



REMOVING:

Your headset can be removed for charging and storage by pressing your finger gently against the tab and sliding the headset up with the other hand.

Press here to remove



We recommend that you remove the headset from the helmet when not in use.

SPEAKERS AND MICROPHONE POSITIONING

The microphone must be positioned **vertically**, not horizontally, **in front of the center of the mouth**, with the yellow sticker pointing towards the mouth.

Attach the speakers to the Velcro inside your helmet opposite your ears (short speaker cord for left ear & long speaker cord for right ear), or use the supplied Velcro pads.

USING THE HEADSET

GENERAL USAGE

GENERAL FUNCTIONS	
DESIRED RESULT:	REQUIRED ACTION:
Turn on the headset	Press the CTRL Button steadily for at least three seconds
Turn off the headset	Press the CTRL Button steadily for at least three seconds
Increase the volume	Short press the Volume Up Button
Decrease the volume	Short press the Volume Down Button

AGC (Automatic Gain Control): In addition to manual Volume Control, the **scala-rider Q2** will automatically increase and reduce its volume according to ambient noise and driving speed.

AUDIO SOURCES AND PRIORITIES

The different Audio Sources that are connected to the **scala-rider Q2** are prioritized as follows:

- Highest** 1. Mobile phone Audio / GPS device (Incoming/outgoing calls, GPS audio and navigation instructions)
 2. Primary Buddy Audio and Secondary Buddy Audio
- Lowest** 3. FM Radio

A high priority Audio Source will always interrupt any lower priority Audio Source.

- i.e. Mobile phone call interrupts Intercom call
- Intercom call interrupts FM Radio


USING THE INTERCOM

Making Intercom calls

To start a Buddy Intercom call with the Primary Buddy while the headset is on Standby you can either:

<p>VOICE CONNECT:</p> <p>Start talking</p> <p>A Buddy Intercom call will be established and stay on until both sides are quiet for 30 seconds.</p>	<p>or</p>	<p>MC BUTTON CONNECT:</p> <p>Single tap the MC Button</p> <p>A Buddy Intercom call will be established. To end the Buddy Intercom call, single tap the MC Button again.</p>
--	-----------	---

To start a Buddy Intercom call with the Secondary Buddy while the headset is on Standby:

<p>MC BUTTON CONNECT:</p> <p>Double tap the MC Button</p> <p>A Buddy Intercom call will be established. To end the Buddy Intercom call, double tap the MC Button again.</p>	<p>MC Button</p> 
---	---

NOTE: When using a scala-rider Headset as a Passenger headset, Voice Connect Intercom can be initiated only by the **scala-rider Q2** headset. Manual Connect Intercom can be initiated from either headset.

Failed Connection: On the **scala-rider Q2**, if you attempt to start a Buddy Intercom call with a Buddy that is already on a Phone/GPS/ Intercom call, you will hear a double beep indicating the Buddy is busy.

Reconnecting the Intercom: If the **scala-rider Q2** and its Intercom Buddy headset go out of range and disconnect from each other, the **scala-rider Q2** will automatically try to reconnect to its Intercom Buddy for five minutes.

You can **manually reconnect** at any time by pressing the MC Button (single tap for Primary Buddy and double tap for Secondary Buddy).

Receiving Intercom calls

If you are not speaking with any one, once the other party tries to initiate a Buddy Intercom call, the call will begin immediately.

TROUBLESHOOTING THE INTERCOM:

First, make sure your microphone is located properly in front of the center of your mouth.

The scala-rider Q2 is designed for use in loud environments. Please make sure to test the Intercom functionality in a LOUD environment, such as next to an idling motorcycle.

Please also verify that the headsets were paired together properly by following the instructions in the relevant Setup sections.

Setting Voice Connect Intercom preference (Primary vs. Secondary Buddy)

The headset's Voice Connect feature allows you to start a Buddy Intercom call by simply speaking into the microphone. You can define which of the two Buddy headsets you wish to connect to when using Voice Connect Intercom.

NOTE: The Primary Buddy has priority by default.

To toggle the Voice Connect Intercom between Primary and Secondary Buddy:

Press and hold the Volume Up Button for three seconds and you will hear a beep:

- One beep – Voice Connect set to Primary Buddy
- Two beeps – Voice Connect set to Secondary Buddy

Enable/Disable Voice Connect feature

Press and hold the Volume Up and Down Buttons simultaneously until you hear a beep. The default status is Voice Connect enabled.

NOTE: The Enable/Disable Voice Connect feature affects both the Intercom and the mobile phone functionality.

MAKING AND RECEIVING MOBILE PHONE CALLS

	PHONE FUNCTIONS
Answer a call	Short press the CTRL Button or speak loudly any word of your choice.
Reject a call	Short press the MC Button or remain silent for 15 seconds.
Terminate a call	Short press the CTRL Button.
Voice Dial	During Standby, short press the CTRL Button and state the name of the person you wish to call. This feature is supported only by mobile phones that support the Voice Dial feature.
Redial	Press and hold the Volume Down Button for three seconds.

NOTE: If your *Bluetooth* mobile phone is paired to a *Bluetooth* GPS device, not directly to the **scala-rider Q2**, some of the above Phone functions may not be compatible.

When the headset is on an active phone call, any Buddy Intercom call request will be rejected automatically.

Once the phone call audio link drops, you can initiate and accept Buddy Intercom calls.

STATUS LIGHT STATES

None	Headset is off
Alternating Red/blue flashes	Mobile phone/GPS Pairing mode
Rapid Red flashes	Intercom Pairing mode
1 blue flash every 3 seconds	Standby – No call is in progress
2 blue flashes every 3 seconds	Call being initiated or in progress / FM Radio ON
1 red flash every 3 seconds	Battery is low
2 red flashes every 3 seconds	Call being initiated or in progress / FM Radio ON and battery is low
Solid red	Headset is being charged

WORKING WITH THE FM RADIO

Your headset is equipped with a high-quality FM Radio receiver. This section explains how to enjoy the functions of the FM Radio.

The **scala-rider Q2** enables you to listen to FM Radio while you are not receiving audio from another audio source.

While listening to the radio, you do not have to worry about missing any calls, as the headset automatically mutes the FM Radio and switches to *Bluetooth* headset operation when an incoming call is received, or when you decide to initiate a call. When the conversation is over, the headset automatically tunes back in to the FM Radio.

Turning the FM Radio On

While no call is on the headset (either mobile phone call or Intercom call), press and hold the MC Button on your headset for three seconds

to turn on the radio. The radio tunes in to the last radio station you were listening to. With some phones you should wait a few seconds after ending a call before turning on the Radio.

Turning the FM Radio Off

While the radio is turned on, press and hold the MC button for three seconds to turn the Radio off.

Switching Preset FM Radio Station

There are six pre-set Radio stations available on your **scala-rider Q2**. While the Radio is on, tap the MC Button to cycle between saved stations.

Searching for a New FM Radio Station

While the Radio is on, press and hold the Volume Up or Volume Down Button for three seconds or until you hear the next station on your headset.

Pressing Volume Up will search upwards (higher frequency). Pressing Volume Down will search downwards (lower frequency). Once a station is found, searching stops and you can hear the station.

To save this station, refer to the following section.

To continue searching, press the Volume Up or Volume Down Button again for three seconds.

You may still continue to listen to the current unsaved station. Pressing the MC Button in this case will switch to the next saved station.

Saving an FM Radio Station

The FM Radio is equipped with a memory capacity of six stations.

- Select the station you wish to replace by tapping the MC button until you find the station you want to replace.

- Search for a new station as described above.
- Tap the MC Button within 20 seconds of finding the station to save the current station.

If you don't save the station, the Radio will exit search mode without saving the current station. You can still continue to listen to the current unsaved station. Tapping the MC Button in this case will move to the next saved station.

SUPPORT

For additional information please visit our website at

www.cardosystems.com

FAQ: www.cardosystems.com/faq

or contact us at:

support@cardosystems.com

Phone:

USA and Canada – + 1-800-488-0363

International – +4989 450 36819

NOTICES

Federal Communications Commission (FCC) Statement

15.21

You are cautioned that changes or modifications not expressly approved by the part responsible for compliance could void the user's authority to operate the equipment.

15.105(b)

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Operation is subject to the following two conditions:

- 1) this device may not cause interference and
- 2) this device must accept any interference, including interference that may cause undesired operation of the device.

FCC RF Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

European CE Notice

The **scala-rider Q2™** headset (the “Product”) is in conformity with the following essential requirements of Council Directive 1999/5/EC (referred to as R&TTE Directive): Articles 3.1a, 3.1.b and 3.2. The Product is manufactured in accordance with Annex II of the above directive.

Declaration of Conformity (DOC)

The **scala-rider Q2™** headset is compliant with and adopts the *Bluetooth®* Specification 2.0 and has successfully passed all interoperability tests that are specified in the *Bluetooth®* specification. However, interoperability between the device and other *Bluetooth®*-enabled products is not guaranteed.

WAIVER AND GENERAL RELEASE

By using the scala-rider Q2 you will waive substantial legal rights including the right to sue. Please read the following carefully before using the device. If you do not accept all terms of this agreement, you should immediately return the product for a full refund. By using the headset you agree to be bound to this agreement and forfeit the right to sue.

Using a communication device while riding a motorcycle, scooter, moped, ATV, quad-bike or any other vehicle or equipment, whether on land, water or air (jointly referred to as “Vehicle”) requires your complete and undivided attention. Cardo Systems, Inc., including its Officers, Directors, Affiliates, Parent Company, Representatives, Agents, Contractors, Sponsors, Employees, Suppliers and Resellers (jointly referred to as the “Company” or “Cardo”) strongly advises you to take all necessary precautions and remain alert to the traffic, weather and road conditions if you choose to use the **scala-rider Q2** headset, including all derivative models irrespective of its commercial name or branding (the “Device”), and stop your Vehicle on the roadside prior to initiating or receiving calls. Any publications, advertisements, announcements or similar notes that refer to using the Device while riding a Vehicle are solely intended to address its technical capabilities and should not be misconstrued as if encouraging users to operate the Device while actively involved in traffic.

By way of purchasing this Device and not returning it for a full refund (see below), you are irrevocably releasing, indemnifying from any liability, loss, claim and expense (including attorneys fees) and holding Cardo harmless for any bodily injuries, harm or death as well as losses or damages in goods, to any Vehicles including your own, or to any property or asset that belong to you or to third parties, any of which may result from using the Device under any circumstances or conditions and irrespective of jurisdiction. Cardo will not be responsible for any physical damages, irrespective of reasons, conditions or circumstances, including malfunctioning of the Device, and all risks associated with operating it rest solely and entirely with the user of this Device, irrespective of whether the Device is used by the original purchaser or any third party.

Cardo hereby notifies you that using this Device may also be in contravention to local, federal, state or national laws or regulations, and that any use of the Device is entirely at your sole risk and responsibility.

1. You, your heirs, legal representatives, successors or assigns, hereby voluntarily and forever release, discharge, indemnify and hold harmless Cardo from any and all litigation, claims, debts, demands, actions and liability which may arise, directly or indirectly, from using the Device for any distress, pain, suffering, discomfort, loss, injury, death, damages to or in respect to any person or property however caused, WHETHER ARISING FROM THE NEGLIGENCE OR OTHERWISE, and which may hereafter accrue to you on some future date as a result of said use, to the fullest extent permitted by law.
2. You fully understand and assume the risks in using the Device, including risk of negligent acts or omissions by others.
3. You confirm that you are physically capable to use the Device and that you have no medical conditions or needs that may infringe upon your abilities to do so in a safe manner. You confirm that you are at least eighteen (18) years of age and that you have been advised of the risks associated with the use of the Device. You further confirm that you will not consume any alcohol that may affect your alertness or any mind-altering substance, and will not carry, use or consume these substances before or during the use of the Device.

4. You fully acknowledge our warnings and understand that: (a) risks and dangers exist in using the Device while in traffic, including but not limited to injury or illness, strains, fractures, partial and/or total paralysis, death or other ailments that could cause serious disability; (c) these risks and dangers may be caused by the negligence of the manufacturers or its agents or any third party involved in designing or manufacturing the Device; (d) these risks and dangers may arise from foreseeable or unforeseeable causes. You hereby assume all risks and dangers and all responsibility for any losses and/or damages, whether caused in whole or in part by the negligence or other conduct of others, including the Company.

5. You confirm that you have read this release of liability and fully understand its terms and that you have given up substantial rights by not returning the Device for a full refund (see refund option below).

Disclaimer of Warranty

CARDO DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES WITH REGARD TO THE ENCLOSED DEVICE, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THE DEVICE AND ITS ACCESSORIES ARE PROVIDED “AS IS” AND “AS AVAILABLE” WITHOUT WARRANTY OF ANY KIND BEYOND THOSE ASSUMED IN THE ENCLOSED MANUAL.

Limitation of Liability

IN NO EVENT SHALL CARDO BE LIABLE FOR ANY SPECIAL, INDIRECT, PUNITIVE, INCIDENTAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM THE USE OF THE DEVICE, WHETHER BASED ON BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE), PRODUCT LIABILITY OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. YOU ACKNOWLEDGE AND AGREE THAT THE LIMITATIONS SET FORTH ABOVE ARE FUNDAMENTAL ELEMENTS OF THIS AGREEMENT AND THE DEVICE WOULD NOT BE PROVIDED TO YOU ABSENT SUCH LIMITATIONS. SOME STATE STATUTES MIGHT APPLY REGARDING LIMITATION OF LIABILITY.

RETURN FOR FULL REFUND

IF YOU ARE UNWILLING TO ACCEPT AND AGREE TO THE ABOVE CONDITIONS, YOU MAY RETURN THIS DEVICE TO CARDO FOR A FULL REFUND, PROVIDED THAT YOU DO SO NO LATER THAN 7 BUSINESS DAYS FOLLOWING THE PURCHASE OF THE DEVICE (proof of purchase required) AND SUBJECT TO THE WRAPPING BEING INTACT. WHEN DOING SO, PLEASE REFER TO THIS SECTION. BY NOT RETURNING THE DEVICE FOR REFUND WITHIN THE PERIOD PROVIDED, YOU ARE EXPLICITLY IN AGREEMENT WITH THE ABOVE, AND RENOUNCE ALL RIGHTS TO FUTURE CLAIMS AND DEMANDS AGAINST CARDO AS DEFINED ABOVE.

www.cardosystems.com